


RHC - Glenwood

Arkansas, AC +/-














Boundary


Boundary

River / Creek

Barn

Road / Trail

Primary Road



| All Polygons 377.97 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|---|---------------|-------|-----|-------|------|
| 100 | Yanush-Bigfork complex, 35 to 60 percent slopes, moderately eroded, very rocky, very rubbly | 60.63 | 16.04 | 0 | 7 | 7s |
| 9 | Bigfork-Yanush-Rock outcrop complex, 35 to 60 percent slopes, rubbly | 58.34 | 15.43 | 0 | 5 | 7e |
| 6 | Bengal-Bismarck-Yanush complex, 15 to 35 percent slopes, extremely stony | 53.43 | 14.14 | 0 | 9 | 7s |
| 46F | Sherless-Littlefir-Nashoba complex, 15 to 35 percent slopes, extremely stony | 47.22 | 12.49 | 0 | 9 | 7s |
| 45C | Sherless-Littlefir complex, 1 to 8 percent slopes | 31.69 | 8.38 | 0 | 55 | 3e |
| 33B | Mazarn silt loam, 0 to 3 percent slopes, occasionally flooded | 26.78 | 7.09 | 0 | 55 | 3w |
| 45D | Sherless-Littlefir complex, 8 to 15 percent slopes, stony | 17.32 | 4.58 | 0 | 50 | 6e |
| 35 | Kenn-Ceda complex, 0 to 3 percent slopes, frequently flooded | | 4.24 | 0 | 38 | 5w |
| 8 | Bigfork-Rock outcrop complex, 3 to 15 percent slopes, extremely stony | | 3.69 | 0 | 22 | 7s |
| 72 | Sherless-Littlefir complex, 1 to 8 percent slopes | 10.35 | 2.74 | 0 | 55 | 3e |
| 73 | Sherless-Littlefir-Nashoba complex, 8 to 15 percent slopes | 10.28 | 2.72 | 0 | 55 | 6e |
| 17 | Carnasaw-Sherwood-Zafra complex, 35 to 60 percent slopes, extremely stony | | 2.23 | 0 | 10 | 7s |
| 74 | Sherless-Littlefir-Nashoba complex, 15 to 35 percent slopes | 8.22 | 2.17 | 0 | 44 | 6s |
| 46 | Mena silt loam, 1 to 6 percent slopes | 6.69 | 1.77 | 0 | 81 | 3e |
| 42 | Mazarn silt loam, 0 to 3 percent slopes, occasionally flooded | 5.17 | 1.37 | 0 | 59 | 3w |
| 45 | Mena gravelly silt loam, 6 to 12 percent slopes | 1.38 | 0.37 | 0 | 78 | 4e |
| 69 | Riverwash-Ceda complex, 0 to 3 percent slopes, frequently flooded | 1.01 | 0.27 | 0 | 15 | 7w |
| 50B | Speer fine sandy loam, 0 to 2 percent slopes, occasionally flooded | 0.88 | 0.23 | 0 | 76 | 2w |
| 44B | Riverwash-Ceda complex, 0 to 3 percent slopes, frequently flooded | 0.14 | 0.04 | 0 | 15 | 7w |
| 2 | Avilla fine sandy loam, 1 to 6 percent slopes | 0.03 | 0.01 | 0 | 73 | 3e |
| TOTALS | | 377.9 7(*) | 100% | - | 24.45 | 5.94 |

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Boundary 54.4 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | СРІ | NCCPI | CAP |
|-----------|--|-------|-------|-----|-------|-----|
| 72 | Sherless-Littlefir complex, 1 to 8 percent slopes | 10.35 | 19.03 | 0 | 55 | 3e |
| 73 | Sherless-Littlefir-Nashoba complex, 8 to 15 percent slopes | 10.28 | 18.9 | 0 | 55 | 6e |
| 74 | Sherless-Littlefir-Nashoba complex, 15 to 35 percent slopes | 8.22 | 15.11 | 0 | 44 | 6s |
| 46 | Mena silt loam, 1 to 6 percent slopes | 6.69 | 12.3 | 0 | 81 | 3e |
| 35 | Kenn-Ceda complex, 0 to 3 percent slopes, frequently flooded | 6.31 | 11.6 | 0 | 38 | 5w |

| 42 | Mazarn silt loam, 0 to 3 percent slopes, occasionally flooded | 5.17 | 9.51 | 0 | 59 | 3w |
|--------|---|-------------|------|---|-------|------|
| 45D | Sherless-Littlefir complex, 8 to 15 percent slopes, stony | 3.02 | 5.55 | 0 | 50 | 6e |
| 33B | Mazarn silt loam, 0 to 3 percent slopes, occasionally flooded | 1.94 | 3.57 | 0 | 55 | 3w |
| 45 | Mena gravelly silt loam, 6 to 12 percent slopes | 1.38 | 2.54 | 0 | 78 | 4e |
| 69 | Riverwash-Ceda complex, 0 to 3 percent slopes, frequently flooded | 1.01 | 1.86 | 0 | 15 | 7w |
| 2 | Avilla fine sandy loam, 1 to 6 percent slopes | 0.03 | 0.06 | 0 | 73 | 3e |
| TOTALS | | 54.4(*) | 100% | 1 | 54.53 | 4.52 |

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

| Boundary 204.5 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | СРІ | NCCPI | CAP |
|-----------|---|--------|-------|-----|-------|------|
| 100 | Yanush-Bigfork complex, 35 to 60 percent slopes, moderately eroded, very rocky, very rubbly | 60.63 | 29.65 | 0 | 7 | 7s |
| 9 | Bigfork-Yanush-Rock outcrop complex, 35 to 60 percent slopes, rubbly | 58.34 | 28.53 | 0 | 5 | 7e |
| 6 | Bengal-Bismarck-Yanush complex, 15 to 35 percent slopes, extremely stony | 53.43 | 26.13 | 0 | 9 | 7s |
| 8 | Bigfork-Rock outcrop complex, 3 to 15 percent slopes, extremely stony | 13.96 | 6.83 | 0 | 22 | 7s |
| 35 | Kenn-Ceda complex, 0 to 3 percent slopes, frequently flooded | 9.71 | 4.75 | 0 | 38 | 5w |
| 17 | Carnasaw-Sherwood-Zafra complex, 35 to 60 percent slopes, extremely stony | 8.43 | 4.12 | 0 | 10 | 7s |
| TOTALS | | 204.5(| 100% | - | 9.57 | 6.91 |

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

| Boundary 119.07 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|---------------|-------|-----|-------|------|
| 46F | Sherless-Littlefir-Nashoba complex, 15 to 35 percent slopes, extremely stony | 47.22 | 39.65 | 0 | 9 | 7s |
| 45C | Sherless-Littlefir complex, 1 to 8 percent slopes | 31.69 | 26.61 | 0 | 55 | 3e |
| 33B | Mazarn silt loam, 0 to 3 percent slopes, occasionally flooded | 24.84 | 20.86 | 0 | 55 | 3w |
| 45D | Sherless-Littlefir complex, 8 to 15 percent slopes, stony | 14.3 | 12.01 | 0 | 50 | 6e |
| 50B | Speer fine sandy loam, 0 to 2 percent slopes, occasionally flooded | 0.88 | 0.74 | 0 | 76 | 2w |
| 44B | Riverwash-Ceda complex, 0 to 3 percent slopes, frequently flooded | 0.14 | 0.12 | 0 | 15 | 7w |
| TOTALS | | 119.0 7(*) | 100% | - | 36.26 | 4.94 |

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| Land, Capability | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | | | | | | | | |
| Forestry | | • | | | | | | |
| Limited | | | | | | | | |
| Moderate | | | | | | | | |
| Intense | | | | | | | | |
| Limited | | | | | | | | |
| Moderate | | | | | | | | |
| Intense | | | | | | | | |
| Very Intense | • | | | | | | | |

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water